

### **Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

### **Listing of Claims**

1. (Currently Amended) An arrangement comprising an open-ended container and closure therefor, wherein the container comprises at least one projection extending at least partially around its outer surface adjacent the rim of its open, upper end, and wherein the closure comprises a cover for extending over the open upper end and a skirt depending therefrom having an upper and a lower portion, whereby the lower portion of the skirt may be flipped between a raised configuration for mounting and removal of the cover on the container and a lowered configuration in which it engages with the projection of the container thereby to retain the cover on the container, wherein the whole of the lower portion of the skirt is divided into at least two discrete peripheral sections that may be flipped between the raised and lowered configurations independently of each other, wherein the closure includes an annular channel formed between the cover and the upper portion of the skirt for receiving the rim and the at least one projection of the container, wherein the skirt has a relatively rigid upper portion, and a relatively flexible lower portion, and wherein the skirt includes at least one inwardly directed projection dividing the upper and lower portions selected from i) a projection that extends therearound partway along its depth, and the projection engages with the projection of the container; and ii) a projection that extends therearound partway along its depth, and the projection engages beneath the projection of the container.

2. (Cancelled).

3. (Previously Presented) An arrangement according to claim 1 in which the skirt includes at least one inwardly directed projection that extends therearound partway along its depth, and the projection engages with the projection of the container.

4. (Original) An arrangement according to claim 3 in which the at least one inwardly directed projection engages beneath the projection of the container.

5. (Previously Presented) An arrangement according to claim 3 in which the at least one inwardly directed projection divides the upper and lower portions.

6. (Previously Presented) An arrangement according to claim 1, wherein the discrete peripheral sections of the skirt are formed by slits in a continuous skirt portion.

7. (Previously Presented) An arrangement according to claim 1, wherein the container is of generally cylindrical configuration and the cover is of generally circular configuration.

8. (Previously Presented) An arrangement according to claim 1, made of plastics material.

9-11. (Cancelled).

12. (Currently Amended) An arrangement according to claim ~~[[10]]~~ 1, wherein the discrete peripheral sections of the skirt are formed by slits in a continuous skirt portion.

13. (Currently Amended) An arrangement according to claim ~~[[10]]~~ 1, wherein the container is of generally cylindrical configuration and the cover is of generally circular configuration.

14. (Currently Amended) An arrangement according to claim ~~[[10]]~~ 1, made of plastics material.

15. (Currently Amended) An arrangement according to claim ~~[[10]]~~ 1, wherein the discrete peripheral sections of the skirt are formed by slits in a continuous skirt portion.

16. (Currently Amended) An arrangement according to claim [[2]] 1, wherein the discrete peripheral sections of the skirt are formed by slits in a continuous skirt portion.

17. (Currently Amended) An arrangement according to claim [[2]] 1, wherein the container is of generally cylindrical configuration and the cover is of generally circular configuration.

18. (Currently Amended) An arrangement according to claim [[2]] 1, made of plastics material.

19. (Previously Presented) An arrangement according to claim 3, wherein the discrete peripheral sections of the skirt are formed by slits in a continuous skirt portion.

20. (Cancelled).